



Flammable Gas 2 Hazchem Sign

[Product Images](#)



[Short Description](#)

Hazchem - Flammable Gas 2 Sign

Description

Indicates the storage or containment of Class 2 Flammable Gases within a facility, vehicle or container etc.

- Class 2, Division 2.1 Flammable Gas is defined as Gases which, at 20 °C and a standard temperature of 101.3 kPa, are ignitable when in a mixture of 13% or less by volume in air.
- Examples: Acetylene, Natural gas, and Liquefied Petroleum Gas (LPG).
- Read Chapter 2.2 of the Australian Dangerous Goods Code for more information (latest edition - 7.6) – [available here](#).
- Recognisable by a red background with black wording, flame symbol and the number '2'.
- Complies with ADG, WHS Regulations and Australian Standard AS1216-2006.
- Available in a large range of materials and sizes to suit any application.
- Hazchem signs are required at any workplace that stores hazardous chemicals over a certain quantity.
- During an emergency situation, this sign will allow emergency services to identify any chemicals present.
- It is important as a business to correctly label all hazardous chemicals using the appropriate Hazchem Signage.

All Bronson Safety Hazchem signage meets the requirements of Australian Government Legislation.

- For more information on Class 2 Flammable Gases, [click here](#).
- For information on Hazchem labelling and signs in a workplace, read WorkSafe Australia's Model Code of Practice – [view here](#).
- For all other information, consult the Dangerous Goods Storage and Handling Regulations for your State or Territory – [click here](#).

Additional Information

Safety Sign Type	GHS & Hazchem
------------------	---------------

Product Options

Sign Size:	50mm x 50mm
	100mm x 100mm
	150mm x 150mm
	200mm x 200mm
	270mm x 270mm
Sign Material:	Colorbond Steel
	Polypropylene
	Self Adhesive Vinyl

