



Oxidising Agent 5.1 Hazchem Sign

Product Images



Short Description

Oxidising Agent 5.1 Hazchem Sign

Description

Indicates the storage or containment of Class 5 Oxidising Agents/Substances within a facility, vehicle or container etc.

- Class 5, Division 5.1, Oxidising Agents/Substances are substances that, under certain circumstances, may contribute to the combustion of other materials or substances.
- Examples: Calcium hypochlorite (pool chlorine), Sodium nitrite (water coolants), and Hydrogen peroxide (bleach).
- Read Chapter 2.5.2 of the Australian Dangerous Goods Code for more information (latest edition 7.6) available here.
- Recognisable by a yellow background with black wording, symbol and number '5.2'.
- Sign complies with ADG, WHS Regulations and Australian Standard AS1216-2006.
- Available in a large range of materials and sizes to suit any application.
- Hazchem signs are required in any area that stores or transport hazardous chemicals over a certain quantity.
- During an emergency situation, this sign will allow emergency services to identify any chemicals present.
- It is important for businesses to correctly label all hazardous chemicals using the appropriate Hazchem Signage.

All Bronson Safety Hazchem signage meets the requirements of Australian Government Legislation.

- For more information on Class 5 Oxidising Agents/Substances, click here.
- For information on Hazchem labelling and signs in a workplace, read WorkSafe Australia's Model Code of Practice view here.
- For all other information, consult the Dangerous Goods Storage and Handling Regulations for your State or Territory click here.

Additional Information

| Safety Sign Type | GHS & Hazchem |
|------------------|---------------|
| | |

Product Options

| Sign Size: | 50mm x 50mm |
|----------------|---------------------|
| | 100mm x 100mm |
| | 150mm x 150mm |
| | 200mm x 200mm |
| | 270mm x 270mm |
| Sign Material: | Colorbond Steel |
| | Polypropylene |
| | Self Adhesive Vinyl |

12/4/25

