



**Organic Peroxide 5.2 Hazchem Sign** 

# **Product Images**



# **Short Description**

Organic Peroxide 5.2 Hazchem Sign

## **Description**

Indicates the storage or containment of Class 5 Organic Peroxides within a facility, vehicle or container etc.

- Class 5, Division 5.2 Organic Peroxides are organic substances that are thermally unstable and may undergo exothermic self-accelerating decomposition.
- Properties of organic peroxides:
  - Explosive decomposition;
  - rapid burn rates;
  - sensitivity to impact or friction;
  - may damage eyes or skin upon contact, and;
  - dangerous if combined with other substances.
- Examples: Benzoyl peroxide (plastics, fibreglass resin), and methyl ethyl ketone peroxide (MEKP).
- Read Chapter 2.5.3 of the Australian Dangerous Goods Code for more information (latest edition 7.6) available here.
- Recognisable by a red and yellow split background with black wording, a flame symbol and the number '5.2'.
- Sign complies with ADG, WHS Regulations and Australian Standard AS1216-2006.
- Available in a large range of materials and sizes to suit any application.
- Hazchem signs are required in any area that stores or transport hazardous chemicals over a certain quantity.
- During an emergency situation, this sign will allow emergency services to identify any chemicals present.
- It is important for businesses to correctly label all hazardous chemicals using the appropriate Hazchem Signage.

All Bronson Safety Hazchem signage meets the requirements of Australian Government Legislation.

- For more information on Class 5 Organic Peroxides, click here.
- For information on Hazchem labelling and signs in a workplace, read WorkSafe Australia's Model Code of Practice view here.
- For all other information, consult the Dangerous Goods Storage and Handling Regulations for your State or Territory click here.

#### **Additional Information**

Safety Sign Type	GHS & Hazchem	

### **Product Options**

Sign Size:	50mm x 50mm
	100mm x 100mm
	150mm x 150mm
	200mm x 200mm
	270mm x 270mm
Sign Material:	Colorbond Steel
	Polypropylene
	Self Adhesive Vinyl

30/9/24

