



Hi-Vis Barrier Reel Blue/White

Product Images



Description

These heavy-duty hi-vis barrier reels are ideally suited to industrial and commercial situations where a safety barrier is required to keep people from entering an unsafe or restricted area. Ideally used to restrict people from entering warehouse roller doors, forklift thoroughfares or to section off maintenance areas, among many other uses.

- **Easily mounted to a wall with the included brackets** or to the [Barrier Reel Steel Bollard](#) (sold separately).
- Barrier webbing can be pulled across and placed onto the receiving bracket on the opposite wall as required.
- Neat & tidy design means there is no loose webbing lying around or needs for manual recoiling.
- Designed to easily and quickly retract when access is required by trucks or forklifts.
- Under constant tension with positive rewind action.
- Polypropylene mounting bracket supplied allows 180° swivel action.

What's included?

- **1 x Barrier Reel.**
- **1 x Mounting Bracket.** Suitable for wall or bollard mounting applications.
- **1 x Handle** that can attach to the top of the reel for easy movement from one area to the next.
- **1 x Receiving Bracket** to secure the end of your tape to the wall.

Extras

- Additional [Receiving Brackets](#) are available separately.
- A specially designed [Barrier Reel Steel Bollard](#) is also available for free-standing mounting purposes when a wall is unavailable in your facility. (sold separately)

Other options available

- [Fluoro Orange](#)
- [Fluoro Orange/Black](#)
- [Fluoro Yellow](#)
- [Fluoro Yellow/Black](#)
- [Fluoro Yellow/Black Caution](#)
- [Red/White](#)
- [Red/White Danger Do Not Enter](#)
- [Yellow](#)
- [Yellow/Black](#)

Additional Information

| | |
|----------------|------------|
| Colour | Red |
| Webbing Colour | Blue/White |

Product Options

| | |
|-----------------|-----------|
| Barrier length: | 15 metres |
| | 25 metres |

